

Chapter 1

Linear Mixed Model Implementation

The LMM implementation is available as C source code. It depends on the standard C libraries CHOLMOD (Davis, 2008) and GSL (Galassi et al., 2009). It can be found at <http://www.mcw.edu/biostatistics/Research/Software>

1.1 Data Preparation

A program has been provided for typical data preparation: `onetime.c`. It depends on two header files. The first `gsl_cholmod.h` defines two C preprocessor (cpp) macros that allow GSL to read and write to CHOLMOD matrices present in memory. `MAT(A, B)` is used for matrices and `VEC(A, B)` is used for vectors. They both take two parameters.

A: A pointer to an already existing matrix created by CHOLMOD.

B: The name of a GSL object to create. No new memory will be allocated since A already has memory allocated to it. Therefore, you will not need to `\free` the memory associated with B; that will be taken care of when you `\free` A instead. The new B object will need

Table 1.1: The definitions of the values found in onetime.h .	
Variable	Definition
p	the dimension of the fixed parameters β
q1	the number of primary clusters (hospitals)
q2	the number of secondary clusters (surgeons)
q	the number of total clusters
N	the number of subjects (patients)

to be operated on as a memory location. For example, if the second parameter is X

Table 1.2: List of input/output files for onetime.c and their definitions.

Filename: content definition

Y.mtx	the input file for the outcome vector y
uX.mtx	the input file for the "uncentered" covariates X
X.mtx	the output file for the "centered" covariates X
XtX.mtx	the output file for $X^T X$ where X has been "centered"
XtY.mtx	the output file for $X^T y$ where X has been "centered"
uZ.mtx	the input file for the "unordered" Z
ZtZ.mtx	the output file for $Z^T Z$
ZtX.mtx	the output file for $Z^T X$ where X has been "centered"
ZtY.mtx	the output file for $Z^T y$
P.mtx	the output file for the permutation P
u1mask.mtx	An output file for a vector of 1s and 0s. The 1s represent the locations of re-ordered hospitals in α ; the 0s, re-ordered surgeons.
D1.mtx	A similar definition to u1mask.mtx . It is the hospital portion of D with the surgeon portion zeroed out.
D2.mtx	A similar definition to D1.mtx . It is the surgeon portion of D with the hospital portion zeroed out.

Variable	Table 1.3: The definitions of the values found in Normal.h . Definition
p	the dimension of the fixed parameters β
q1	the number of primary clusters (hospitals)
q2	the number of secondary clusters (surgeons)
q	the number of total clusters
N	the number of subjects (patients)
M	the number of Gibbs samples to perform
a1	the 1st posterior parameter to the Gamma distribution for τ_1
b1	the 2nd prior parameter to the Gamma distribution for τ_1
a2	the 1st posterior parameter to the Gamma distribution for τ_2
b2	the 2nd prior parameter to the Gamma distribution for τ_2
ae	the 1st posterior parameter to the Gamma distribution for
be	the 2nd prior parameter to the Gamma distribution for
am	the prior mean for
bm	the prior precision for
yty	$y^{\theta}y$
mu	the initial value of
taue	the initial value of
tau1	the initial value of τ_1
tau2	the initial value of τ_2
beta	the initial value of β

Table 1.4: List of input files for Normal.c and their definitions.

Filename: content definition

C.mtx the prior precision of β

Cc.mtx the prior mean of β

XtX.mtx $X^0 X$ where X has been \centered"

XtY.mtx $X^0 Y$ where X has been \centered"

ZtZ.mtx $Z^0 Z$

ZtX.mtx $Z^0 X$ where X has been \centered"

ZtY.mtx $Z^0 Y$

u1mask.mtx A vector of 1s and 0s. The 1s represent the locations of re-ordered hospitals in α ; the 0s, re-ordered surgeons.

D1.mtx A similar definition to u1mask.mtx . It is the hospital portion of D with the surgeon portion zeroed out.

D2.mtx A similar definition to D1.mtx . It is the surgeon portion of D with the hospital portion zeroed out.

1.3 Noninformative Prior

The Noninformative prior version of the program, `Normal-Uniform.c`, is very similar to the conjugate prior version. The header file is now named `Normal-Uniform.h`. The definition of the parameters is the same except for those associated with β_1 and β_2 : a_1 , b_1 , a_2 and b_2 . For example, for the XS Scenario, the file looks like Figure 1.3.

```
const int p=4, q1=5, q2=25, q=q1+q2, N=2500, M=20000;
const double a1=(q1-1)/2., b1=0.01,
              a2=(q2-1)/2., b2=0.01,
              ae=(N+0.1)/2., be=0.1,
              am=0.,      bm=0.001,
              yty=43137.609891;
double mu=0., taue=1., tau1=1., tau2=1.;
```

Chapter 2

Logistic Mixed Model Implementation

The Logistic Mixed Model implementation is available as C source code. It depends on the standard C libraries CHOLMOD (Davis, 2008) and GSL (Galassi et al., 2009). It can be found at <http://www.mcw.edu/biostatistics/Research/Software>

Although, there are fewer one-time calculations for the Logistic Mixed Model, you

After compiling `Logistic.c` into `Logistic.out` (or whatever you are calling your executable), then running `Logistic.out` produces an R source file `Logistic.R` containing the Gibbs samples for β , σ^2 , τ_1 and

Bibliography

Boisvert, R., R. Pozo, and K. Remington (1996). The Matrix Market exchange formats: initial design. Technical Report NISTIR 5935, National Institute of Standards and Technology. [<http://math.nist.gov/MatrixMarket>].

Davis, T. (2008). *User guide for CHOLMOD: a sparse Cholesky factorization and modification package*. Department of Computer and Information Science and Engineering, University of Florida, Gainesville, FL. [<http://www.cise.ufl.edu/research/sparse/cholmod>].

Galassi, M., J. Davies, J. Theiler, B. Gough, G. Jungman, M. Booth, and F. Rossi (2009). *GNU Scientific Library Reference Manual* (3rd ed.). Network Theory Ltd. [<http://www.gnu.org/software/gsl>].